## Notice of Allowability

Application No.	Applicant(s)
10/773,275	SIEBERER, FRANZ
Examiner	Art Unit
FRNESTO GARCIA	3679

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon patition by the applicant Sep 37 CEP1 4133 and MEPE 1308.

- NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiof the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

  1. This communication is responsive to Board decision of March 26, 2009 and the telephone interview of June 3, 2009.

  2. The allowed claim(s) is/are 1-9.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) All b) Some\* c) None of the:
    - 1. 

      Certified copies of the priority documents have been received.
    - 2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_
    - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- 5. X CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) Thereto or 2) to Paper No./Mail Date \_\_\_\_\_.
  - (b) \(\sigma\) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 20090528.

    Identifying incline such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

- 1. Notice of References Cited (PTO-892)
- 2. 
  Notice of Draftperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date
- Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5. Notice of Informal Patent Application
- Interview Summary (PTO-413), Paper No./Mail Date .
- 7. X Examiner's Amendment/Comment
- 8. 

  Examiner's Statement of Reasons for Allowance
- 9. 🔲 Other \_\_\_\_

Application/Control Number: 10/773,275

Art Unit: 3679

## EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Kenneth W. Fields on June 3, 2009.

The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

The spring 12 in Figures 8b and 11b are to be redrawn so that the spring does not appear embedded in the other component.

The solid black shading in component 8 shown in Figure 11c is to be removed.

The ends of the broke lines shown in Figure 2a, 2b, 3a, 3b, 4b, 6a, 7a, 7b, 8a, 8b, 9a, 9b, 10a, 10b, 11a, and 11b should be designated by Arabic or Roman numerals corresponding to the view number of the corresponding sectional view.

The extraneous texts "A-A" in Figures 2b, 3b, 4b, 6b, 7b, 8b and 11b, "B-B" in Figure 2c, 3c, and 9c, "D-D" in Figure 4c, "F-F" in Figure 6c, "J-J" in Figure 7c, "G-G" in Figure 8c, "H-H" in Figure 10c, "I-I" in Figure 11c, and "Ansicht X" in Figure 4d, is to be deleted

Application/Control Number: 10/773,275

Art Unit: 3679

The pin portion 4 in Figure 3b is drawn incorrectly and should not be interposed with component 10, and the pin portion 4 in Figure 3c is to be shifted so that it does not overlap component 10.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ernesto Garcia whose telephone number is 571-272-7083. The examiner can normally be reached from 9:30AM-6:00PM. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel P. Stodola can be reached at 571-272-7087.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. Application/Control Number: 10/773,275 Page 4

Art Unit: 3679

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/E. G./ Examiner, Art Unit 3679 June 15, 2009

/Daniel P. Stodola/ Supervisory Patent Examiner, Art Unit 3679